

product range



ැමි

d∰

Im



INTRO

| The Company | Page 5 |
|----------------------|---------|
| Service | Page 7 |
| AMANN Innovation Lab | Page 9 |
| Responsibility | Page 11 |

SUSTAINABLE PRODUCT RANGE

| Lifecycle Polyamide | Page 14 |
|---------------------|---------|
| Saba Recycled | Page 15 |
| Sabatex Recycled | Page 16 |
| Saba WRe | Page 17 |
| Serafil WRe | Page 18 |
| Onyx WRe | Page 19 |

AMANN PRODUCTS

| Saba | Page 22 |
|---------------|---------|
| Sabatex | Page 23 |
| Sabaflex | Page 24 |
| Sabasoft | Page 25 |
| Serafil fine | Page 26 |
| Rasant | Page 27 |
| MercifilGD | Page 28 |
| RasantGD | Page 28 |
| Strongfix | Page 29 |
| Meta | Page 30 |
| Serafil | Page 31 |
| Serabraid | Page 32 |
| Onyx | Page 33 |
| Strongbond | Page 34 |
| Isacord | Page 35 |
| Isamet | Page 35 |
| Isa Texlight | Page 36 |
| Isa/Isabob | Page 36 |
| Rasant-Oxella | Page 37 |
| Topfil | Page 38 |
| Texturan | Page 38 |


| Gore® Tenara® | Page 39 |
|--------------------------|---------|
| Serabond | Page 40 |
| N-tech | Page 41 |
| N-tech CS | Page 41 |
| A-tech CS | Page 42 |
| Nc-tech | Page 43 |
| K-tech | Page 44 |
| Kc-tech | Page 44 |
| Silver-tech/Silver-tech+ | Page 45 |
| | |

SPECIAL COLOURS

| Multicolour | Page 47 |
|-------------|---------|
| Neon | Page 47 |

SPECIAL FINISHINGS

| Water-repellent | Page 47 |
|--------------------------|---------|
| Waxed (T90) | Page 47 |
| For Composites (Comphil) | Page 47 |
| Bonded | Page 47 |



THE COMPANY

Since 1854, AMANN has been one of the leading global producers in the field of high-quality sewing and embroidery threads. Its technical expertise, reliability and flexibility in production and service makes AMANN a strong partner worldwide. In close cooperation with its customers, AMANN develops sewing and embroidery threads, as well as smart yarns for tomorrow's market requirements.

More than 2,300 motivated employees in more than 100 countries worldwide make AMANN's success possible. AMANN Group exclusively produces at its own production sites. The company headquarters are located in Bönnigheim, Germany.

THE AMANN CODE

Success has a secret. Intelligent products, individual solutions and innovative concepts: the amann code. AMANN produces threads meeting the highest standards, and develops ideas for creating seams that make your products even safer, more efficient, comfortable and beautiful. Developing new ideas is a tradition at AMANN.

We utilise the know-how from various industries and combine knowledge and expertise for the development of intelligent, modern products. Our customers' wishes and demands serve as our standards. Individual solutions are our strength – in product and colour management, and in service and logistics.

State-of-the-art technology is a prerequisite for innovative products. Through constant communication with our customers, partners and vendors, we develop sewing and embroidery threads as well as functional yarns and technical threads – always one step ahead, always at the highest technical level.

THE AMANN CODE INNOVATIVE. INDIVIDUAL. INTELLIGENT.

SERVICE & CONSULTING

SERVICE

From development to production and everyday customer support, quality, precision and a great deal of creativity and passion characterise AMANN's performance.

RELIABILITY

Based on its vast expertise in the production of sewing and embroidery threads, AMANN has been serving the global textile industry for decades. AMANN is a reliable partner for all industries and offers professional product solutions, from fashionable to technical applications.

INTERNATIONAL SALES TEAM

Direct points of contact all over the world facilitate a more personal communication and have comprehensive understanding for the procedures within the sewing and embroidery industry.

COLOUR COMPETENCE

Colour is a crucial topic within the textile industry. The AMANN colour competence center utilises state-of-the-art technologies and employs experienced experts. A huge colour range that is available worldwide covers the most diverse requirements of all industries: from fashion to shoes & leather, from automotive industry to technical applications.

LOGISTICS AND WAREHOUSING

As an internationally leading producer of high-quality sewing and embroidery threads, shipping and warehousing are a part of AMANN's daily business. Just-in-time-delivery, flexibility in meeting customer requirements and efficient logistics management – this is what AMANN stands for.

AMANN SEWING TECHNOLOGY CENTER

Excellent technical sewing and embroidery consulting is one of AMANN's big strengths. For this purpose, AMANN has created a state-of-the-art sewing-technical lab with its new Sewing Technology Center (STC).

Among others, the services of the AMANN Sewing Technology Center comprise the following:

- Technical sewing and embroidery consulting worldwide
- Individual customer workshops, technical seminars and lectures
- Sewing tests and analyses
- Calculation of sewing thread requirement and recommendations for increase in productivity
- Technical elaborations for specific topics
- Processing tests

The AMANN STC team has decades-long, application-oriented know-how and enables customers to receive the best possible consulting and support.

AMANN INNOVATION LAB

AMANN Innovation Lab is the innovation pool at AMANN. Our textile think-tank develops intelligent products, individual solutions and innovative concepts for textile issues, not only for sewing and embroidery threads but also for textile surfaces. The spectrum includes conductive threads and yarns, hybrid threads for composites, sensor yarns, threads with indicator function as well as a multitude of functional yarns and technical threads. The AMANN Innovation Lab develops different smart yarns that offer technical solutions for the following fields:







We will be glad to support you with your individual project – please contact us via innovation-lab@amann.com



CONDUCTIVE SENSORY

COMPOSITES

THINKING SOLUTIONS

CONDUCTIVE

The topic conductivity is becoming increasingly important for many industries. Due to its properties, a conductive smart yarn offers itself for a variety of different applications such as conductance of electricity or data transfer.

SENSORY

Smart yarns with sensor technology transfer information and have a variety of different applications. These socalled sensor yarns are thread-like textile constructions that measure e.g. humidity.

COMPOSITES

The Comphil finish, specially developed by AMANN for composites, offers optimised sewing performance without adhesion-inhibiting properties towards the composite matrix. Thus, it is optimally synchronised with the further processes (for example resin infusion) and end use applications.



RESPONSIBILITY

The acceptance of social and environmental responsibility is an essential part of AMANN Group's corporate philosophy. The main focus of this philosophy is responsible interaction with employees, vendors, customers and partners, and with the environment and its resources.

SOCIAL

The charitable Hanns A. Pielenz Foundation was established by its eponym Hanns A. Pielenz in 2005. Through the transfer of his shares to the foundation, Hanns A. Pielenz ensured the continuation of the traditional family business and a long-term support of regional cultural and charitable institutions in the fields of arts and culture, science and research, and education.

ENVIRONMENTAL

- sustainable production and dyeing processes and continuous reduction of the use of harmful substances
- and ongoing observation of the standards
- reduction of waste and promotion of recycling
- responsible utilisation of resources through water and energy management

CERTIFICATION & SAFETY

At AMANN, customer expectations regarding performance, reliability and technical expertise, as well as the quality and environmental compatibility of the products are an obligation and a motivation at the same time. Continuous compliance with the high-quality standards at AMANN Group is ascertained by the certification for quality management according to DIN EN ISO 9001.

ENVIRONMENTAL MANAGEMENT

AMANN's resource-friendly approach and its strive to keep the environmental impact as low as possible is documented by the certification of the sites Bönnigheim and Augsburg in accordance with the DIN EN ISO 14001 environmental management system.

ENERGY MANAGEMENT

The reasonable use of energy is an important factor in AMANN's sustainability program. The DIN EN ISO 50001 certification states that the production site at Augsburg has developed a sustainable energy management system and has a very high degree of energy efficiency and environmental compatibility.


QUALITY COMMITMENT

The fulfilment of the process-oriented quality commitment for a safe production environment is proven by the certification of the offices Bönnigheim, Augsburg, Brasov, Manchester and Yancheng under the strict IATF 16949 standards.

PRODUCT CERTIFICATIONS

The compliance with REACH and certification under STANDARD 100 by OEKO-TEX® guarantee that AMANN's products are not harmful. Moreover, AMANN participates in Greenpeace Detox Campaign. Almost all products are even certified in accordance with the strict criteria of the OEKO-TEX® testing catalogue according to appendix 6. The AMANN products Saba, Sabatex, Sabaflex, Isacord, Serafil, N-tech and N-tech CS have been examined concerning the industrial wash resistance according to DIN EN ISO 15797, and have received the PRO-Label certification according to DIN EN ISO 30023.

similarly high safety, production and sustainability standards at all AMANN production plants worldwide



CRADLE TO CRADLE CERTIFIED™ GOLD OR RECYCLED. AMANN'S SUSTAINABLE SEWING AND EMBROIDERY THREADS

AMANN develops products in a targeted manner in order to make them not only more sustainable, but also more environmentally friendly through the use of selected recycling and natural materials. Now, AMANN is even breaking new ground with the Cradle to Cradle[®] principle. Cradle to Cradle[®], stands for a consistent, continuous recycling management, where no waste is generated, as the Cradle to Cradle[®] products are either used as biological nutrients in biological cycles, or they are continuously kept in technical cycles as technical nutrients. We are proud that we can already offer our customers the first CRADLE TO CRADLE CERTIFIED[™] GOLD sewing thread from the LIFECYCLE range! Further products in the LIFECYCLE line will follow to enable our customers to have circular technical or biological material flows.

Our sewing and embroidery threads from the RECYCLED line are made from 100% high-quality recycled materials and have almost the same quality features as our excellent range products, for instance in terms of breakings strength, abrasion resistance and sewability.

The finish of our sewing threads is also systematically optimised. For example, in the production of water-repellent sewing threads, we replace environmentally harmful perfluorocarbons (PFCs) with environmentally compatible alternatives. The new eco-friendly WRe finish is available for Serafil WRe, Onyx WRe and Saba WRe. As a globally operating company, AMANN also focuses on sustainable, fair and safe production processes worldwide. We have joined the UN Global Compact and certify our production sites according to the Global Recycled Standard.

AMANN'S SUSTAINABLE PRODUCT RANGE

Our sustainable product range consists of the RECYCLED line and the LIFECYCLE line. All products from the LIFECYCLE line are CRADLE TO CRADLE CERTIFIED[™] GOLD, so that they are either completely reprocessed or completely biodegradable. The AMANN sewing and embroidery threads from the RECYCLED line are made from 100% recycled materials.







POLYAMIDE 6.0 CONTINUOUS FILAMENT, 100% RECYCLED

- CRADLE TO CRADLE CERTIFIED[™] GOLD
- the first recycled polyamide sewing thread
- mostly made from recycled fishing nets and textile waste
- safe and circular sewing thread for technical cycles
- only dyed with compostable dyes and therefore safe for biological cycles
- robust, abrasion-resistant, durable
- excellent strength and colour fastness properties
- the ideal choice for manufacturing sustainable products

| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of colours |
|------------|---------|--------------|---------------|-------------------|----------------|
| 40 | 70 | 110-130 | 18-21 | 1.200 m KS | on request |
| 60 | 45 | 100-120 | 16-19 | 1.800 m KS | on request |
| 120 | 24 | 70-80 | 10-12 | 4.000 m KS | on request |
| 120 | 24 | 70-80 | 10-12 | approx. 1,5 kg Sp | on request |



Main application

CERTIFIED

 ladieswear, menswear • sportswear & outdoor • underwear & lingerie workwear

Further applications:

THE PERSON AND A DESCRIPTION OF A DESCRI

POLYESTER/POLYESTER CORE SPUN, 100% RECYCLED

- AMANN's sustainable thread made from 100% recycled PET bottles
- GRS certified
- pure sustainability combined with very good sewing performance
- ideal abrasion resistance and strength properties
- textile appearance
- the ideal choice for manufacturing sustainable products

| Ticket no. | Tex no. | Needl Nm | e size No. | Make-up | No. of co |
|------------|---------|-------------|---------------|------------|-----------|
| 30 | 105 | 110-130 | 18-21 | 3.000 m Co | 535 |
| 35 | 80 | 100-120 | 16-19 | 5.000 m Co | 75 |
| 50 | 60 | 90-110 | 14-18 | 2.500 m Co | 535 |
| 80 | 40 | 90-100 | 14-16 | 5.000 m Co | 535 |
| 120 | 24 | 70-80 | 10-12 | 5.000 m Co | 535 |











15



POLYESTER/POLYESTER CORE SPUN, WATER-REPELLENT, PFC-FREE

- WRe = water-repellent and ecofriendly
- free from harmful chemicals
- AMANN's allrounder
- for water-repellent closing and topstitch seams
- high-performing, outstanding sewing behaviour
- ideal abrasion resistance and strength properties
- textile appearance
- for water-repellent matt embroidery

| Ticket no. | Tex no. | Needle size Nm No. | | Make-up | No. of co |
|------------|---------|-----------------------|-------|------------|-----------|
| 25 | 120 | 130-160 | 21-23 | 5.000 m Co | on reque |
| 30 | 105 | 110-130 | 18-21 | 3.000 m Co | on reque |
| 35 | 80 | 100-120 | 16-19 | 5.000 m Co | on reque |
| 50 | 60 | 90-110 | 14-18 | 2.500 m Co | on reque |
| 80 | 40 | 90-100 | 14-16 | 5.000 m Co | on reque |
| 100 | 30 | 80-90 | 12-14 | 5.000 m Co | on reque |
| 120 | 24 | 70-80 | 10-12 | 5.000 m Co | on reque |
| 150 | 21 | 60-70 | 8-10 | 5.000 m Co | on reque |
| | | | | | |



Main application:

Colours can be darker with WRe finish.

ladieswear, menswear

POLYESTER CONTINUOUS FILA-MENT, TEXTURISED, 100% RECYCLED

- AMANN's sustainable bulk yarn made from 100% recycled PET bottles
- GRS certified


- pure sustainability combined with very good sewing performance
- soft, voluminous, skin-friendly
- for all serging and coverstitch seams
- for optimal edge covering
- the ideal choice for manufacturing sustainable products

| Ticket no. | Tex no. | Needle Nm | size No. | Make-up | No. of colours |
|------------|---------|---------------|-------------|-----------------|----------------|
| 120 | 18 | 80-90 | 12-14 | 3.000 m Co | 535 |
| 1177115 | 111111 | 10-11-11-11-1 | MUU | 111111111111111 | |



ladieswear, menswear

• sportswear & outdoor • underwear & lingerie workwear



leatherwear sportswear & outdoor workwear

Further applications:







SerafilwRe

POLYESTER CONTINUOUS FILAMENT, WATER-REPELLENT, PFC-FREE

- WRe = water-repellent and ecofriendly
- free from harmful chemicals
- the outstanding product for shoes
- for water-repellent closing and decorative seams
- high seam strength
- best sewing performance with perfect stitch formation
- suitable for water-repellent coarse decorative embroidery

| Ticket no. Tex no. | | Needl | e size | Make-up | No. of colours | |
|--------------------|--------|---------|--------|------------|----------------|--|
| 6.1.1.4 | 10 Sec | Nm | No. | 65466 | 4.1 | |
| 10 | 270 | 180-220 | 24-26 | 300 m FS | on request | |
| 15 | 210 | 150-180 | 23-24 | 450 m FS | on request | |
| 20 | 135 | 120-140 | 19-22 | 600 m FS | 148 | |
| | | 10.00 | | 2.500 m FS | on request | |
| 30 | 90 | 100-130 | 16-21 | 900 m FS | on request | |
| | 125 | | | 4.000 m FS | on request | |
| 40 | 70 | 90-120 | 14-19 | 1.200 m FS | 148 | |
| 60 | 45 | 80-110 | 12-18 | 1.800 m FS | on request | |
| 80 | 30 | 70-110 | 10-18 | 2.400 m FS | on request | |







POLYAMIDE 6.6 CONTINUOUS FILA-MENT, WATER-REPELLENT, PFC-FREE

- WRe = water-repellent and ecofriendly
- free from harmful chemicals
- the ultra-strong sewing thread for stressed seams
- for water-repellent closing and topstitch seams
- robust, abrasion-resistant, durable
- excellent strength properties

| Ticket no. | Tex no. | Needl | e size | Make-up | No. of co | |
|------------|---------|---------|--------|------------|-----------|--|
| | - | Nm | No. | | | |
| 20 | 135 | 140-160 | 22-23 | 2.000 m FS | on reques | |
| 30 | 105 | 130-150 | 21-23 | 2.500 m FS | on reques | |
| 40 | 70 | 110-130 | 18-21 | 4.000 m FS | on reques | |
| 60 | 45 | 90-110 | 14-18 | 6.000 m FS | on reques | |
| | 1 | | | | | |

FS/KS = Colours can be darker with WRe finish.











19

| Saba |
|--------------|
| Sabatex |
| Sabaflex |
| Sabasoft |
| Serafil fine |
| Rasant |
| MercifilGD |
| Strongfix |
| Meta |
| Isacord |
| lsamet |
| Isa Texlight |
| lsa/Isabob |

26 27

Page





Ladieswear, menswear, sportswear & outdoor, denim, underwear & lingerie, leatherwear, workwear, garment dyeing





Brilliant & fashionable, metallic, glow-in-the-dark, bobbin thread, matt, filigree & monograms, coarse decorative embroidery, dyeable, technical & functional, flame-retardant


Page

Serabraid Strongbond

Detailed information on our automotive product range can be found in the AMANN Automotive brochure.


6 AUTOMOTIVE

Airbags, trim/interior, steering wheels, seatbelts, shading systems






Upholstery, mattresses, pillows & inner covers, bed linen, curtains, table linen, bathroom textiles









Protective clothing, outdoor textiles, smart textiles, lifting and restraint systems, composites, filtration, medtech



ettere

| | Page |
|--------------|------|
| Isacord | 35 |
| lsamet | 35 |
| Isa Texlight | 36 |
| lsa/lsabob | 36 |
| Saba | 22 |
| Serafil fine | 26 |
| Rasant | 27 |
| MercifilGD | 28 |
| Serafil | 31 |
| N-tech | 41 |
| N-tech CS | 41 |
| A-tech CS | 42 |

| | Page |
|---------------|------|
| Rasant-Oxella | 37 |
| Topfil | 38 |
| Texturan | 38 |
| Serafil | 31 |
| Serabraid | 32 |
| Onyx | 33 |
| Isacord | 35 |
| Gore® Tenara® | 39 |
| Serabond | 40 |

Page

| Gore® Tenara® | 39 |
|---------------|----|
| Serabond | 40 |
| N-tech | 41 |
| N-tech CS | 41 |
| A-tech CS | 42 |
| Nc-tech | 43 |
| K-tech | 44 |
| Kc-tech | 44 |
| Silver-tech/ | |
| Silver-tech+ | 45 |
| | |

saba

POLYESTER/POLYESTER CORE SPUN

- AMANN's all-rounder
- high-performing, outstanding sewing behaviour
- ideal abrasion resistance and strength properties
- great in tickets and colours
- textile appearance
- for closing and topstitch seams
- for matt embroidery

| Ticket no. | Tex no. | Needle Nm | size No. | Make-up | No. of colours |
|------------|---------|--------------|-------------|-----------------------------|-------------------|
| 8 | 400 | 210-250 | 26-27 | 800 m Co | 30 |
| 12 | 260 | 160-180 | 23-24 | 1.100 m Co | 75 |
| 18 | 200 | 140-160 | 22-23 | 1.400 m Co | 75 |
| 30 | 105 | 110-130 | 18-21 | 10x300 m XW 3.000 m Co | 535 on request |
| 35 | 80 | 100-120 | 16-19 | 5.000 m Co | 75 |
| 50 | 60 | 90-110 | 14-18 | 10x500 m XW 2.500 m Co | 535 535 |
| 80 | 40 | 90-100 | 14-16 | 10x1.000 m XW 5.000 m Co | 535 535 |
| 100 | 30 | 80-90 | 12-14 | 10x1.000 m XW 5.000 m Co | 535 535 |
| 120 | 24 | 70-80 | 10-12 | 10x1.000 m XW 5.000 m Co | 535 535 |
| 150 | 21 | 60-70 | 8-10 | 10x1.000 m XW 5.000 m Co | 535 535 |

Find our new sustainable Saba Recycled on page 15 and our water-repellent, PFC-free Saba WRe on page 17!



Main application ladieswear, menswear





POLYESTER CONTINUOUS FILAMENT, TEXTURISED

- the perfect bulk yarn
- soft, voluminous, skin-friendly
- for all serging and coverstitch seams
- for optimal edge covering

| Ticket no. | Tex no. | Needl Nm | e size No. | Make-up | No. of col |
|------------|---------|-------------|---------------|--|-------------------------|
| 100 | 35 | 90-110 | 14-18 | 5.000 m Co 10.000 m FS | 171 171 |
| 120 | 18 | 80-90 | 12-14 | 10.000 m Co 30.000 m Co | 535 on reques |
| 250 | | 70-80 | 10-12 | 5.000 m Co 10.000 m Co 30.000 m Co | 171 171 on reques |

Find our new sustainable Sabatex Recycled on page 16!



Further applications:



PRO



ARRENDERDERDERDE





sabafleX

PTT (POLYTRIMETHYLENE TEREPHTHALATE) CONTINUOUS FILAMENT

- stretch it. The multi-talent for all elastic materials
- provides a stretch reserve for all seams
- with Sabaflex, all seams become highly elastic
- highest elongation and best sewability

ladieswear, menswear sportswear & outdoor underwear & lingerie

workwear

• made with 37% biopolymers from renewable resources

| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of colours |
|------------|---------|--------------|---------------|------------|----------------|
| 30 | 105 | 120-140 | 19-22 | 900 m FS | 160 |
| 50 | 70 | 110-130 | 18-21 | 1.200 m FS | 160 |
| 80 | 60 | 80-100 | 12-16 | 2.000 m FS | 160 |
| 120 | 27 | 70-80 | 10-12 | 1.500 m FS | 160 |

| | _ |
|---------|---|
| FC /1/C | |
| FS/KS = | |
| | |

| | • |
|--------|---|
| \sim | • |
| | • |
| | • |

| runner | 0 | ipplicu | |
|--------|---|---------|--|
| | | ₽ | |
| | | | |





POLYESTER CONTINUOUS MICROFILAMENT, TEXTURISED

- Soft. Softer. Sabasoft
- the soft sewing thread for lingerie, activewear, fitnesswear and bikewear
- combines productivity and softness for the first time
- usable as needle and looper thread
- extraordinary soft microfilament, resistant against yellowing and abrasion

| Ticket no. | Tex no. | Neec Nm | lle size No. | Make-up | No. of co |
|------------|---------|------------|-----------------|-------------|-----------|
| 120 | 18 | 70-80 | 10-12 | 5.000 m Co | 240 |
| | RE | | | 10.000 m Co | on reque |
| 276 | | | | 30.000 m Co | on reque |



Main application:

• sportswear & outdoor

• underwear & lingerie



ours

Serafilfine

POLYESTER CONTINUOUS FILAMENT

- the ideal sewing and embroidery thread for all fine materials
- delicate, silk-like, adaptive, semi-transparent
- for high-quality overedging not showing through
- for all felling and blindstitching work
- ideal for processing down
- for embroidering monograms and fine details

| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of colours |
|------------|---------|--------------|---------------|---------------------------|-------------------|
| 120 | 24 | 70-80 | 10-12 | 4.000 m FS 15.000 m FS | 100 on request |
| 180 | 16 | 60-70 | 8-10 | 5.000 m FS 20.000 m FS | 100 on request |
| 300 | 10 | 55-65 | 6-9 | 5.000 m FS 20.000 m FS | 100 on request |
| 420 | 7 | 50-65 | 5-9 | 10.000 m FS | 100 |



3

underwear & lingerie

| Furthe | r applicatio |
|--------|--------------|
| @} | |
| 12.14 | |

POLYESTER/COTTON CORE SPUN

- the traditional core spun thread
- robust in sewing
- approved in many applications
- for closing and topstitch seams
- for matt embroidery

| Ticket no. | Tex no. | Needl Nm | e size No. | Make-up | No. of col |
|------------|---------|-------------|---------------|--|--------------------------|
| 35 | 80 | 110-130 | 18-21 | 3.000 m Co | 52 |
| 50 | 60 | 100-110 | 16-18 | 10x1.000 m XW 5.000 m Co | 52 52 |
| 75 | 40 | 90-100 | 14-16 | 10x1.000 m XW 5.000 m Co 10.000 m Co | 140 140 on request |
| 120 | 24 | 70-80 | 10-12 | 10x1.000 m XW 5.000 m Co 10.000 m Co | 300 300 on request |

The comprehensive range of Rasant is complemented by the hydrophobic finish "WR". Available on request.



Main application



• underwear & lingerie • denim

ladieswear, menswear

• sportswear & outdoor





Rasant •

Mercifilgd

COTTON SPUN, MERCERISED

- the classic sewing thread for garment dyeing
- made from long-staple mercerised cotton
- optimal dyeing properties
- ideal sewing performance

| Ticket no. | Tex no. | Needl Nm | e size No. | Make-up | No. of colours |
|------------|---------|-------------|---------------|------------|----------------|
| 18 | 105 | 120-130 | 19-21 | 2.500 m Co | TAL |
| 24 | 80 | 110-130 | 18-21 | 5.000 m Co | 1 |
| 30 | 60 | 100-120 | 16-19 | 5.000 m Co | 1 L |
| 40 | 40 | 80-100 | 12-16 | 5.000 m Co | L. S. S. |
| 50 | 35 | 70-80 | 10-12 | 5.000 m Co | |
| 60 | 30 | 65-70 | 9-10 | 5.000 m Co | 1 |



Main application: • garment dyeing

| Further |
|---------|
| @} |
| 232.44 |

POLYESTER/POLYAMIDE CONTINUOUS FILAMENT

- melting thread for the supplemental security of blindstitch hems on trousers and skirts
- suitable as additional thread or as looper thread in the overlock seam of the hem, in addition to the blindstitch

| Ticket no | o. Tex no. | Need Nm | lle size No. | Make-up | No. of cc |
|--------------------|----------------|----------------------------------|-----------------|----------|-----------|
| 30 | 110 | - | - | 850 m FS | 2 |
| FS/KS = Main ap | Availe 2001 | able colour no. = white, 0348 | | | |
| ~ | • ladi | eswear, m | enswear | | |

Rasantgd

0

C

POLYESTER/COTTON CORE SPUN

- core spun thread made from 40% polyester and 60% cotton
- optimised dyeing properties due to the high cotton part
- the ideal addition to MercifilGD, recommended to be used in combination
- increased seam strength and seam elongation due to the polyester part compared to 100% cotton threads
- robust in sewing

| Ticket no. | Tex no. | Needle size | | Make-up | No. of colours |
|------------|---------|-------------|-------|------------|----------------|
| | | Nm | No. | | |
| 30 | 105 | 120-140 | 19-22 | 2.500 m Co | 3 |
| 50 | 60 | 100-110 | 16-18 | 5.000 m Co | 3 |
| 75 | 40 | 90-100 | 14-16 | 5.000 m Co | 3 |
| 100 | 30 | 80-90 | 12-14 | 5.000 m Co | 3 |

Explanation of colour no.



Ś


Explanation of color hor. LTO0 = Light with raw polyester core, recommended for light dyeing, depending on the type of treatment, it is also possible to use it all-purpose; DK01 = Medium with pre-dyed polyester, core, recommended for medium dyeing; DK02 = Dark with pre-dyed polyester core, recommended for dark dyeing;

Only the cotton part is dyed during the dyeing process. The polyester core remains undyed.

Main application:

Further application:

<u>@</u>





META

POLYESTER/POLYESTER WRAPPED YARN, METALLISED

- effect thread for creative top stitching
- for metallic accents on fashion and leather
- decorative, impressive, effective

| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of colours |
|----------------------|---------|---------------------------------------|----------------|----------|----------------------|
| 10 | 260 | 180-220 | 24-26 | 300 m FS | 3 |
| 30 | 105 | 110-130 | 18-21 | 700 m FS | 3 |
| FS/KS = | | lable colour no.: 5 = gold, 0511 = | silver, 1145 = | bronze | |
| FS/KS = Main appl | 0496 | | silver, 1145 = | bronze | Further application: |
| | 0496 | 5 = gold, 0511 = ieswear, me | | bronze | Further application: |

POLYESTER CONTINUOUS FILAMENT

- the outstanding product for shoes and accessories
- for closing and decorative seams
- subtle sheen
- special finishing process
- high seam strength
- best sewing performance with perfect stitch formation
- suitable for coarse decorative embroidery

| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of co |
|------------|---------|--------------|---------------|---------------------------|------------------|
| 8 | 350 | 200-260 | 25-28 | 850 m FS | on reques |
| 10 | 270 | 180-220 | 24-26 | 300 m FS 1.000 m FS | 148 148 |
| 15 | 210 | 150-180 | 23-24 | 450 m FS | 148 |
| 20 | 135 | 120-140 | 19-22 | 600 m FS 2.500 m FS | 240 240 |
| 30 | 90 | 100-130 | 16-21 | 900 m FS 4.000 m FS | 240 240 |
| 40 | 70 | 90-120 | 14-19 | 1.200 m FS 5.000 m FS | 240 240 |
| 60 | 45 | 80-110 | 12-18 | 1.800 m FS 5.000 m FS | 240 on reques |
| 80 | 30 | 70-110 | 10-18 | 2.400 m FS 10.000 m FS | 240 on reques |

Find our new water-repellent, PFC-free Serafil WRe on page 18!







- belts and small leather goods







Im

Serabraid

POLYESTER CONTINUOUS FILAMENT, BRAIDED

- the braided thread for individual decorative effects
- for closing and topstitch seams
- decorative, impressive, effective
- waxed version available for hand sewing

| Ticket no. | Tex no. | Make-up | No. of colours |
|------------|---------|-----------|----------------|
| 1400 T90 | 1200 | 300 m XW | 30 |
| 1400 T60 | 1030 | 300 m SSP | 30 |
| 1200 T90 | 890 | 500 m XW | 48 |
| 1200 T60 | 750 | 500 m SSP | 48 |
| 1000 T90 | 600 | 500 m XW | 48 |
| 1000 T60 | 500 | 500 m SSP | 48 |
| 800 T90 | 450 | 700 m XW | 30 |
| 800 T60 | 380 | 700 m SSP | 30 |


The comprehensive range of Serabraid is complemented by the hydrophobic finish "WR". Available on request.

| XW = | SSP = | T60 = standard T90 = waxed for |
|-------------|---------------------------|-----------------------------------|
| Main applie | cation: | |
| | shoes | |
| | • bags | |

| | г | urth |
|--|---|------|

æ

applications:








| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of co |
|------------|---------|--------------|---------------|--------------------------|-----------|
| 10 | 270 | 200-230 | 25-26 | 1.500 m FS | 29 |
| 13 | 210 | 180-200 | 24-25 | 1.500 m FS | 29 |
| 20 | 135 | 140-160 | 22-23 | 2.000 m FS | 71 |
| 30 | 105 | 130-150 | 21-23 | 2.500 m FS | 86 |
| 40 | 70 | 110-130 | 18-21 | 2.000 m FS 4.000 m FS | 86 86 |
| 60 | 45 | 90-110 | 14-18 | 6.000 m FS | 71 |
| 80 | 35 | 80-100 | 12-16 | 8.000 m FS | 29 |





STRONGBOND

POLYAMIDE 6.6 CONTINUOUS FILAMENT, BONDED

- the robust bonded sewing thread
- for seams with maximum durability
- best sewing performance, also for multidirectional sewing

| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of colours |
|------------|---------|--------------|---------------|------------|----------------|
| 10 | 270 | 200-250 | 25-27 | 1.500 m FS | 12 |
| 13 | 210 | 180-200 | 24-25 | 2.000 m FS | 2 |
| 20 | 135 | 140-160 | 22-23 | 1.500 m FS | 76 |
| 30 | 90 | 120-140 | 19-22 | 2.500 m FS | 11 |
| 40 | 70 | 110-130 | 18-21 | 3.500 m FS | 95 |
| 60 | 45 | 90-110 | 14-18 | 5.000 m FS | 75 |
| 80 | 35 | 80-100 | 12-16 | 9.000 m FS | 2 |

Further applications:





POLYESTER CONTINUOUS FILAMENT, TRILOBAL

- universal machine embroidery thread for all brilliant and fashionable embroidery
- great in colour, great in function
- abrasion-resistant, robust, perfect embroidery properties
- excellent colour fastness
- classic on work & corporate wear
- extremely durable also for jeans and automotive

| Ticket no. | Tex no. | Needl Nm | e size No. | Make-up | No. of |
|------------|---------|-------------|---------------|-----------------------------|------------|
| 40 | 27 | 65-90 | 9-14 | 10x1.000 m KS 5.000 m KS | 390 391 |







olours



ැමා



POLYESTER/POLYAMIDE WRAPPED YARN

- the metallic embroidery thread
- classic thread in uniform and emblem embroidery
- brilliant accent for elegant clothes
- available in gold, silver and many other metallic colours

| i. | Ticket no. | Tex no. | Need Nm | le size No. | Make-up | No. of co |
|----|------------|---------|------------|----------------|-----------------------------|-----------|
| | 40 | 27 | 75-90 | 11-14 | 10x1.000 m FS 5.000 m FS | 42 7 |
| | 50 | 15 | 70-90 | 10-14 | 10x1.000 m FS | 3 |

FS/KS =

Main application:



metallic













ISACORD

ISAMET



ISA TEXLIGHT

PBT (POLYBUTYLENE TEREPH-THALATE)/PP (POLYPROPYLENE), CONTINUOUS FILAMENT

- the phosphorescent embroidery thread
- glows in the dark
- for special effects, for example on children's nightwear
- or clothes that are worn in bars or clubs



POLYESTER/COTTON CORE SPUN, GLACÉ

- the sewing thread with special finish for heavy-duty applications
- for closing and decorative seams
- fine matt sheen
- extremely durable in the seam

| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of col |
|------------|---------|--------------|---------------|------------|------------|
| 8 | 350 | 200-260 | 25-28 | 1.500 m FS | 20 |
| 11 | 260 | 160-180 | 23-24 | 1.100 m FS | 20 |
| 15 | 200 | 140-160 | 22-23 | 1.400 m FS | 20 |
| 20 | 135 | 130-160 | 21-23 | 2.000 m FS | 20 |
| 25 | 120 | 130-160 | 21-23 | 2.750 m FS | 36 |
| 30* | 105 | 120-140 | 19-22 | 2.500 m FS | 37 |
| 35 | 80 | 110-130 | 18-21 | 4.000 m FS | 60 |
| | | | | | |

FS/KS = Main application:

otton core spun, alac

ISA **ISABOB**

POLYESTER BOBBIN THREADS FOR EMBROIDERY

- bobbin thread range for machine embroidery
- Isa combines excellent thread running properties, high strength and large bobbin volumes

Needle size


• Isabob provides outstanding unwinding properties, long running lengths and all benefits of prewound bobbin threads


sa Ticket no. Tex no.

දිණි

| 1.100 | 0 | Nm | No. | | |
|------------|-----------|------------|-----------------|-------------|------------------|
| 150 | 18 | | | 10.000 m Co | 2 |
| 180 | 16 | -Fall | 01 A | 20.000 m Co | 2 |
| Isabob | | | | | |
| Ticket no. | Tex no. | Need Nm | lle size No. | Make-up | No. of colours |
| 190 | 17 | - | - 7 | 144 bobbins | 2 |
| Co = | | | | | |
| Main app | lication: | - | | | er applications: |











POLYESTER CONTINUOUS FILAMENT

- functional sewing thread for mattress quilting
- optimal sewing properties

| Ticket no. | Tex no. | Needle Nm | size No. | Make-up | No. of colours |
|------------|---------|-------------------------|-------------|------------------------|----------------|
| 60 | 45 | 100-130 | 16-21 | 500 g FS 1.000 g FS | |
| 80 | 30 | 90-120 | 14-19 | 500 g FS 1.000 g FS | |
| FS/KS = | ication | | | | |
| | • mat | tresses ows and quil | ts | | |

ePTFE (EXPANDED POLYTETRAFLUORETHYLENE) TAPE

- special sewing thread with excellent UV and weather protection with 15 years warranty!
- designed for high speed sewing
- also available in transparent colour
- will not fade, stain or discolour
- resistant to UV radiation in sunlight, mould, mildew, acid rain, cleaning solutions, salt water and industrial pollutants

| Ticket no. | Tex no. | Need | e size | Make-up | No. of co |
|------------|---------|---------|--------|------------|--|
| 1. C. 2. | | Nm | No. | | 10.00 |
| HTR | 270 | 110-140 | 18-22 | 1.050 m FS | 11 |
| TR | 150 | 100-120 | 16-19 | 1.750 m FS | 11 |
| LTR | 110 | 90-110 | 14-18 | 2.100 m FS | 1 |
| | | - | | | The second s |

FS/KS =

Im

Main application: outdoor textiles



TEXTURAN

POLYESTER CONTINUOUS FILAMENT, TEXTURISED

- developed to be used in combination with Topfil
- the functional underthread for mattress production

| Ticket no. | Tex no. | Need Nm | e size No. | Make-up | No. of colours |
|------------|---------|------------------------|---------------|----------------------------|----------------|
| 100 | 35 | 90-110 | 14-18 | 10.000 m FS 20.000 m FS | |
| 120 | 18 | 80-90 | 12-14 | 20.000 m FS | |
| FS/KS = | | | | | |
| Main app | | | | | |
| ₽ | | ttresses ows and qu | ilts | | |

GORE® TENARA®

Serabond

POLYESTER CONTINUOUS FILAMENT, BONDED

- high-performance bonded special sewing thread for outdoor applications
- extremely durable

FS/KS =

lm

Main application:

outdoor textiles

- resistant to untwisting and therefore suited for multidirectional sewing
- outstanding UV resistance due to special dyestuffs
- weathering test according to ISO 4892-1 and ISO 4892-2

| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of colours |
|------------|---------|--------------|---------------|--------------------------|------------------|
| 6 | 500 | 240-260 | 27-28 | 1.700 m FS | 1 |
| 9 | 350 | 210-240 | 26-27 | 1.700 m FS | 12 |
| 10 | 270 | 190-220 | 25-26 | 1.400 m FS | 2 |
| 12 | 240 | 180-200 | 24-25 | 1.800 m FS | 12 |
| 15 | 210 | 170-190 | 24-25 | 2.400 m FS | 12 |
| 18 | 150 | 150-170 | 23-24 | 2.600 m FS | 12 |
| 20 | 135 | 130-150 | 21-23 | 1.600 m FS 3.200 m FS | 34 on request |
| 25 | 105 | 120-140 | 19-22 | 3.000 m FS | 12 |
| 30 | 90 | 110-130 | 18-21 | 2.300 m FS | 34 |
| 40 | 70 | 90-120 | 14-19 | 4.600 m FS | 16 |
| 60 | 45 | 80-100 | 12-16 | 5.000 m FS | 16 |

Further applications:

₽

NOMEX® DUPONTTM META-ARAMIDE, SCHAPPE SPUN (N-TECH)

NOMEX® DUPONTTM META-ARAMIDE, CUT STAPLE SPUN (N-TECH CS)


- high-performance meta-aramide special sewing and embroidery thread
- for flame-retardant and heat-protective applications
- self-extinguishing and non-melting
- permanent temperature resistance up to approx. 200°C
- decomposition temperature at approx. 370°C
- burning behaviour tested according to DIN EN ISO 15025

N-tech

| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of co |
|------------|---------|--------------|---------------|-----------------------------|-----------|
| 40 | 75 | 100-120 | 16-19 | 3.000 m Co | 14 |
| 70 | 40 | 80-100 | 12-16 | 10x1.000 m XW 5.000 m Co | 21 |

N-tech CS

| | Ticket no. | Tex no. | Needle Nm | size No. | Make-up | No. of col |
|---|------------|---------|--------------|-------------|-----------------------------|------------|
| | 70 | 40 | 80-100 | 12-16 | 10x1.000 m XW 5.000 m Co | 21 |
| X | 120 | 25 | 70-90 | 10-14 | 5.000 m Co | 21 |







protective clothing



















N-tech N-tech CS

A-tech CS

NEWSTAR® YANTAI META-ARAMIDE, CUT STAPLE SPUN

- meta-aramide special sewing & embroidery thread for flame-retardant and heat-protective applications
- self-extinguishing and non-melting
- the powerful alternative to Nomex®
- permanent temperature resistance up to approx. 200°C
- decomposition temperature at approx. 370°C
- burning behaviour tested according to DIN EN ISO 15025

| Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | No. of colours |
|------------|---------|--------------|---------------|------------|----------------------|
| 40 | 75 | 100-120 | 16-19 | 3.000 m Co | 14 |
| 70 | 40 | 80-100 | 12-16 | 5.000 m Co | 14 |
| Co = | | | | FI | urther applications: |
| Ing | | ation | ning | | <u>چ</u> |

NOMEX[®] DUPONT[™] META-ARAMIDE CONTINUOUS FILAMENT

- meta-aramide special sewing thread for highest requirements in flame-retardant and heat-protective applications
- self-extinguishing, non-melting, robust and extremely durable
- permanent temperature resistance up to approx. 200°C
- decomposition temperature at approx. 370°C
- burning behaviour tested according to DIN EN ISO 15025

| Ticket no. | Tex no. | Needle size | | Make-up | No. of co | |
|------------|---------|-------------|-------|------------|-----------|--|
| | | Nm | No. | | 8 F 1.569 | |
| 20 | 140 | 120-140 | 19-22 | 1.000 m FS | 7 | |
| 34 | 95 | 120-130 | 19-21 | 1.500 m FS | 7 | |
| 40 | 70 | 110-130 | 18-21 | 2.000 m FS | 7 | |
| 60 | 45 | 100-120 | 16-19 | 3.000 m FS | 7 | |
| | | | | | | |



Main application:

 protective clothing hing

DuPont™ and Kevlar®/Nomex® are trademarks or registered trademarks of E.I. duPont de Nemours and Company





K-tech

KEVLAR[®] DUPONT™ PARA-ARAMIDE, SCHAPPE SPUN

- para-aramide special sewing thread for applications with high requirements on cut, flame and heat protection
- permanent temperature resistance up to approx. 170°C
- decomposition temperature at approx. 425°C
- burning behaviour tested according to DIN EN ISO 15025

| Ticket no. | Tex no. | Needl Nm | e size No. | Make-up | No. of colours |
|------------|---------|-------------|---------------|------------|----------------|
| 35 | 80 | 120-140 | 19-22 | 3.000 m Co | 188 18 |
| 50 | 60 | 110-130 | 18-21 | 3.000 m Co | |
| 75 | 40 | 100-120 | 16-19 | 5.000 m Co | IR. AL |

Co =

Main application:

protective clothing

Kc-tech

KEVLAR® DUPONTTM PARA-ARAMIDE CONTINUOUS FILAMENT, BONDED

- extremely high-performing para-aramide special sewing thread for technical textiles requiring cut and heat protection
- self-extinguishing and non-melting
- permanent temperature resistance up to approx. 170°C
- decomposition temperature at approx. 425°C
- burning behaviour tested according to DIN EN ISO 15025



SILVER COATED POLYAMIDE/ POLYESTER HYBRID THREAD (SILVER-TECH)

- special sewing and embroidery thread with a silver coating
- for conductive seams and surfaces
- textile electrodes as sensors and actuators
- for seam positions that require antimicrobial characteristics
- no cell damaging effect in the Cytotoxicity Test according to DIN EN ISO 10993-5

| Ticket no. | Tex no. | Needle Nm | size No. | Make-up | Electric re |
|------------|---------|--------------|-------------|------------|-------------|
| 30 | 96 | 120-130 | 19-21 | 500 m FS | < 85 Ω/r |
| 50 | 62 | 90-100 | 14-16 | 1.500 m FS | < 150 Ω, |
| 120 | 28 | 75-90 | 11-14 | 2.500 m FS | < 530 Ω |

SILVER COATED POLYAMIDE CONTINUOUS FILAMENT (SILVER-TECH⁺)

- special sewing and embroidery thread with a silver coating
- for conductive seams and surfaces
- maximum conductivity
- fully conductive surface
- textile electrodes as sensors and actuators
- for seam positions that require antimicrobial characteristics

| 2 | | | | | | |
|-------------------------|------------------------------|---------|--------------|---------------|------------|---------------|
| 22 | Ticket no. | Tex no. | Needle Nm | e size No. | Make-up | Electric resi |
| | 100 | 33 | 75-90 | 11-14 | 2.000 m KS | < 200 Ω/ |
| 9 | 150 | 22 | 70-75 | 10-11 | 2.500 m KS | < 300 Ω/ |
| No. No. of Manual State | FS/KS = Main application: | | | | Furthe | er applicatic |

Silver-tech Silver-tech⁺



SPECIAL COLOURS

MULTICOLOURS

Multicolours create special colour accents. The following sewing and embroidery threads by AMANN are offered in multicolours: Saba, Serafil, Strongbond, Isacord.

NEON COLOURS

Whether they are used as a signal colour for hazardous situations or simply as an eyecatcher – neon colours attract attention and are an indispensable part of the fashion world. The following AMANN products are offered in neon colours: Saba, Sabasoft, Sabatex, Sabaflex, Serafil, Strongbond, Strongfil, Isacord, N-tech, N-tech CS.

SPECIAL FINISHINGS

WATER-REPELLENT

A water-repellent finish is a prerequisite for dry seams. All AMANN sewing threads with water-repellent finish are certified according to STANDARD 100 by OEKO-TEX[®] and do not contain any PFOA. The water-repellent finish is applicable to all AMANN sewing threads. AMANN's water-repellent finish is washable and does not affect the sewability in any negative way. AMANN's Road to Zero: The new WRe finish is even more eco-friendly, since it is completely free of PFC. Certainly, the new WRe finish is also washable and can be sewn easily.

The new WRe finish is available for the following AMANN products: Saba, Onyx, Serafil.

WAXED (T90)

Due to its special wax content, AMANN's T90 finish is especially suitable for handsewing, since the finish stabilises the stitch during stitch formation. T90 finish is available for the following products: Serabraid, Serafil.

FOR COMPOSITES (COMPHIL)

The Comphil finish, specially developed by AMANN for composites, offers optimised sewing performance without adhesion-inhibiting properties towards the composite matrix and is thus optimally synchronised with the further processes (for example resin infusion) and end use applications. On both sewing and embroidery threads, the Comphil finish is used for preform production processes (for example TFP embroidery method). As a standard, the Comphil finish is available for following products: Serafil, Serafil fine, Onyx. On request, also further products from the AMANN range can be equipped with the Comphil finish.

BONDED

This special treatment helps to avoid untwisting of smooth filament threads that are used for multidirectional sewing operations, for example on airbags or zig-zag seams on sails. AMANN offers the following bonded sewing threads: Oxcel, Serabond, Strongbond, Kc-tech, Xtreme-tech.

Amann & Söhne GmbH & Co. KG Hauptstraße 1 | D-74357 Bönnigheim Phone: +49 7143 277-0 E-mail: service@amann.com www.amann.com





Our management systems are certified according to:

