

AMANN

GROUP

Intelligent threads

PRODUCT
RANGE





INDEX

INTRO

Service	Page 5
AMANN Innovation Lab	Page 7
Responsibility	Page 9
Sustainability	Page 11

APPLICATION FIELDS

Apparel	Page 18
Automotive	Page 18
Shoes & Accessories	Page 18
Embroidery	Page 19
Home Interior	Page 19
Techtex	Page 19

AMANN PRODUCTS

Lifecycle Polyamid	Page 12
Saba Recycled	Page 13
Universal Recycled	Page 14
Sabatex Recycled	Page 14
Saba WRe	Page 15
Onyx WRe	Page 16
Serafil WRe	Page 17
Saba	Page 20
Universal	Page 21
Sabatex	Page 22
Sabaflex	Page 23
Sabasoft	Page 24
Serafil fine	Page 25
Rasant	Page 26
MercifilGD	Page 27
RasantGD	Page 27
Meta	Page 28
Strongfix	Page 29
Serafil	Page 30
Synton	Page 31
Serabraid	Page 32
Onyx	Page 33

Strongbond	Page 34
Isacord	Page 35
Isamet	Page 35
Isa Textlight	Page 36
Isa/ Isabob	Page 36
Rasant-Oxella	Page 37
Topfil	Page 38
Texturan	Page 38
Gore® Tenara®	Page 39
Serabond	Page 40
N-tech	Page 41
N-tech CS	Page 41
A-tech CS	Page 42
Nc-tech	Page 43
K-tech	Page 44
Kc-tech	Page 44
Silver-tech/Silver-tech+	Page 45

SPECIAL COLOURS

Multicolours	Page 47
Neon colours	Page 47

SPECIAL FINISHINGS

Water-repellent	Page 47
Waxed (T90)	Page 47
For Composites (Comphil)	Page 47
Bonded	Page 47



SERVICE & CONSULTING

SERVICE

From development to production and everyday customer support, quality, precision and a great deal of creativity and passion characterise AMANN's performance.

RELIABILITY

Based on its vast expertise in the production of sewing and embroidery threads, AMANN has been serving the global textile industry for decades. AMANN is a reliable partner for all industries and offers professional product solutions, from fashionable to technical applications.

INTERNATIONAL SALES TEAM

Direct points of contact all over the world facilitate a more personal communication and have comprehensive understanding for the procedures within the sewing and embroidery industry.

COLOUR COMPETENCE

Colour is a crucial topic within the textile industry. The AMANN colour competence center utilises state-of-the-art technologies and employs experienced experts. A huge colour range that is available worldwide covers the most diverse requirements of all industries: from fashion to shoes & leather, from automotive industry to technical applications.

LOGISTICS AND WAREHOUSING

As an internationally leading producer of high-quality sewing and embroidery threads, shipping and warehousing are a part of AMANN's daily business. Just-in-time-delivery, flexibility in meeting customer requirements and efficient logistics management – this is what AMANN stands for.

AMANN SEWING TECHNOLOGY CENTER

Excellent technical sewing and embroidery consulting is one of AMANN's big strengths. For this purpose, AMANN has created a state-of-the-art sewing-technical lab with its new Sewing Technology Center (STC).

Among others, the services of the AMANN Sewing Technology Center comprise the following:

- Technical sewing and embroidery consulting worldwide
- Individual customer workshops, technical seminars and lectures
- Sewing tests and analyses
- Calculation of sewing thread requirement and recommendations for increase in productivity
- Technical elaborations for specific topics
- Processing tests

The AMANN STC team has decades-long, application-oriented know-how and enables customers to receive the best possible consulting and support.

INNOVATION LAB



THINKING SOLUTIONS

AMANN INNOVATION LAB

AMANN Innovation Lab is the innovation pool at AMANN. Our textile think-tank develops intelligent products, individual solutions and innovative concepts for textile issues, not only for sewing and embroidery threads but also for textile surfaces. The spectrum includes conductive threads and yarns, hybrid threads for composites, sensor yarns, threads with indicator function as well as a multitude of functional yarns and technical threads. The AMANN Innovation Lab develops different smart yarns that offer technical solutions for the following fields:



CONDUCTIVE

The topic conductivity is becoming increasingly important for many industries. Due to its properties, a conductive smart yarn offers itself for a variety of different applications such as conduction of electricity or data transfer.



SENSORY

Smart yarns with sensor technology transfer information and have a variety of different applications. These so-called sensor yarns are thread-like textile constructions that measure e.g. humidity.



COMPOSITES

The Comphil finish, specially developed by AMANN for composites, offers optimised sewing performance without adhesion-inhibiting properties towards the composite matrix. Thus, it is optimally synchronised with the further processes (for example resin infusion) and end use applications.



QUALITY THROUGH EXPERTISE

RESPONSIBILITY

The acceptance of social and environmental responsibility is an essential part of AMANN Group's corporate philosophy. The main focus of this philosophy is responsible interaction with employees, vendors, customers and partners, and with the environment and its resources.

SOCIAL

The charitable Hanns A. Pielenz Foundation was established by its eponym Hanns A. Pielenz in 2005. Through the transfer of his shares to the foundation, Hanns A. Pielenz ensured the continuation of the traditional family business and a long-term support of regional cultural and charitable institutions in the fields of arts and culture, science and research, and education.

ENVIRONMENTAL

- sustainable production and dyeing processes and continuous reduction of the use of harmful substances
- similarly high safety, production and sustainability standards at all AMANN production plants worldwide and ongoing observation of the standards
- reduction of waste and promotion of recycling
- responsible utilisation of resources through water and energy management

CERTIFICATION & SAFETY

At AMANN, customer expectations regarding performance, reliability and technical expertise, as well as the quality and environmental compatibility of the products are an obligation and a motivation at the same time. Continuous compliance with the high-quality standards at AMANN Group is ascertained by the certification for quality management according to DIN EN ISO 9001.

ENVIRONMENTAL MANAGEMENT

AMANN's resource-friendly approach and its strive to keep the environmental impact as low as possible is documented by the certification of the sites Bönningheim and Augsburg in accordance with the DIN EN ISO 14001 environmental management system.

QUALITY COMMITMENT

The fulfilment of the process-oriented quality commitment for a safe production environment is proven by the certification of the offices Bönningheim, Augsburg, Brasov, Manchester and Yancheng under the strict IATF 16949 standards.

PRODUCT CERTIFICATIONS

The compliance with REACH and certification under STANDARD 100 by OEKO-TEX® guarantee that AMANN's products are not harmful. Moreover, AMANN participates in Greenpeace Detox Campaign. Almost all products are even certified in accordance with the strict criteria of the OEKO-TEX® testing catalogue according to appendix 6. The AMANN products Saba, Sabatex, Sabaflex, Isacord, Serafil, N-tech and N-tech CS have been examined concerning the industrial wash resistance according to DIN EN ISO 15797, and have received the PRO-Label certification according to DIN EN ISO 30023.

SUSTAINABLE PRODUCT RANGE

CRADLE TO CRADLE CERTIFIED™ GOLD OR RECYCLED. AMANN'S SUSTAINABLE SEWING AND EMBROIDERY THREADS

AMANN develops products in a targeted manner in order to make them not only more sustainable, but also more environmentally friendly through the use of selected recycling and natural materials. Now, AMANN is even breaking new ground with the Cradle to Cradle® principle. Cradle to Cradle®, stands for a consistent, continuous recycling management, where no waste is generated, as the Cradle to Cradle® products are either used as biological nutrients in biological cycles, or they are continuously kept in technical cycles as technical nutrients. We are proud that we can already offer our customers the first CRADLE TO CRADLE CERTIFIED™ GOLD sewing thread from the LIFECYCLE range! Further products in the LIFECYCLE line will follow to enable our customers to have circular technical or biological material flows.



Our sewing and embroidery threads from the RECYCLED line are made from 100% high-quality recycled materials and have almost the same quality features as our excellent range products, for instance in terms of breakings strength, abrasion resistance and sewability.

The finish of our sewing threads is also systematically optimised. For example, in the production of water-repellent sewing threads, we replace environmentally harmful perfluorocarbons (PFCs) with environmentally compatible alternatives. The new eco-friendly WRe finish is available for Serafil WRe, Onyx WRe and Saba WRe. As a globally operating company, AMANN also focuses on sustainable, fair and safe production processes worldwide. We have joined the UN Global Compact and certify our production sites according to the Global Recycled Standard.


AMANN'S SUSTAINABLE PRODUCT RANGE

Our sustainable product range consists of the RECYCLED line and the LIFECYCLE line. All products from the LIFECYCLE line are CRADLE TO CRADLE CERTIFIED™ GOLD, so that they are either completely reprocessed or completely biodegradable. The AMANN sewing and embroidery threads from the RECYCLED line are made from 100% recycled materials.

LIFECYCLE



RECYCLED



POLYAMIDE 6.0 CONTINUOUS FILAMENT, 100% RECYCLED

- CRADLE TO CRADLE CERTIFIED™ GOLD
- the first recycled polyamide sewing thread
- made from recycling of textile waste
- safe and circular sewing thread for technical cycles
- only dyed with compostable dyes and therefore safe for biological cycles
- robust, abrasion-resistant, durable
- excellent strength and colour fastness properties
- the ideal choice for manufacturing sustainable products

Ticket no.	Tex no.	Needle size Nm	Needle size No.	Make-up	No. of colours
40	70	110-130	18-21	1.200 m KS	on request
60	45	100-120	16-19	1.800 m KS	on request
120	24	70-80	10-12	4.000 m KS	on request
120	24	70-80	10-12	approx. 1,5 kg Sp	on request

Sp =  FS/KS = 

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear




Further applications:



POLYESTER/POLYESTER CORE SPUN, 100% RECYCLED

- AMANN's sustainable thread made from 100% recycled PET bottles
- GRS certified
- pure sustainability combined with very good sewing performance
- ideal abrasion resistance and strength properties
- textile appearance
- the ideal choice for manufacturing sustainable products

Ticket no.	Tex no.	Needle size Nm	Needle size No.	Make-up	No. of colours
30	105	110-130	18-21	3.000 m Co	535
35	80	100-120	16-19	5.000 m Co	75
50	60	90-110	14-18	2.500 m Co	535
80	40	90-100	14-16	5.000 m Co	535
120	24	70-80	10-12	5.000 m Co	535

Co = 

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear
- leatherwear
- denim


Further applications:



POLYESTER STAPLE SPUN, 100% RECYCLED

- AMANN's economic thread made from 100% recycled PET bottles
- GRS certified
- pure sustainability combined with good sewing performance
- textile appearance
- the ideal choice for manufacturing sustainable products

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
110	27	65-90	9-14	5.000 m Co	on request
120	27	70-90	10-14	5.000 m Co	on request

Co = 

Main application:



- ladieswear, menswear
- underwear & lingerie
- leatherwear
- sportswear & outdoor
- workwear
- denim


Further applications:



POLYESTER CONTINUOUS FILA- MENT, TEXTURISED, 100% RECYCLED

- AMANN's sustainable bulk yarn made from 100% recycled PET bottles
- GRS certified
- pure sustainability combined with very good sewing performance
- soft, voluminous, skin-friendly
- for all serging and coverstitch seams
- for optimal edge covering
- the ideal choice for manufacturing sustainable products

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
120	18	80-90	12-14	3.000 m Co	535

Co = 

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear


Further applications:



POLYESTER/POLYESTER CORE SPUN, WATER-REPELLENT, PFC-FREE

- WRe = water-repellent and ecofriendly
- free from harmful chemicals
- AMANN's allrounder
- for water-repellent closing and topstitch seams
- high-performing, outstanding sewing behaviour
- ideal abrasion resistance and strength properties
- textile appearance
- for water-repellent matt embroidery

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
25	120	130-160	21-23	5.000 m Co	on request
30	105	110-130	18-21	3.000 m Co	on request
35	80	100-120	16-19	5.000 m Co	on request
50	60	90-110	14-18	2.500 m Co	on request
80	40	90-100	14-16	5.000 m Co	on request
100	30	80-90	12-14	5.000 m Co	on request
120	24	70-80	10-12	5.000 m Co	on request
150	21	60-70	8-10	5.000 m Co	on request

Co = 

Colours can be darker with WRe finish.

Main application:



- ladieswear, menswear
- leatherwear
- sportswear & outdoor
- workwear

Further applications:



POLYAMIDE 6.6 CONTINUOUS FILAMENT, WATER-REPELLENT, PFC-FREE

- WRe = water-repellent and ecofriendly
- free from harmful chemicals
- the ultra-strong sewing thread for stressed seams
- for water-repellent closing and topstitch seams
- robust, abrasion-resistant, durable
- excellent strength properties

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
20	135	140-160	22-23	2.000 m FS	on request
30	105	130-150	21-23	2.500 m FS	on request
40	70	110-130	18-21	4.000 m FS	on request
60	45	90-110	14-18	6.000 m FS	on request

FS/KS =  Colours can be darker with WRe finish.

Main application:



- shoes


Further application:



POLYESTER CONTINUOUS FILAMENT, WATER-REPELLENT, PFC-FREE

- WRe = water-repellent and ecofriendly
- free from harmful chemicals
- the outstanding product for shoes
- for water-repellent closing and decorative seams
- high seam strength
- best sewing performance with perfect stitch formation
- suitable for water-repellent coarse decorative embroidery

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
10	270	180-220	24-26	300 m FS	on request
15	210	150-180	23-24	450 m FS	on request
20	135	120-140	19-22	600 m FS 2.500 m FS	148 on request
30	90	100-130	16-21	900 m FS 4.000 m FS	on request on request
40	70	90-120	14-19	1.200 m FS	148
60	45	80-110	12-18	1.800 m FS	on request
80	30	70-110	10-18	2.400 m FS	on request

FS/KS =  Colours can be darker with WRe finish.

Main application:



- shoes

Further application:




	Page
Saba	20
Universal	21
Sabatex	22
Sabaflex	23
Sabasoft	24
Serafilfine	25
Rasant	26
MercifilGD	27
RasantGD	27
Meta	28
Strongfix	29
Isacord	35
Isamet	35
Isa Texlight	36
Isa / Isabob	36





APPAREL

Ladieswear, menswear, sportswear & outdoor,
denim, underwear & lingerie, leatherwear,
workwear, garment dyeing





EMBROIDERY

Brilliant & fashionable, metallic, glow-in-the-dark,
bobbin thread, matt, filigree & monograms,
coarse decorative embroidery, dyeable, technical
& functional, flame-retardant

	Page
Isacord	35
Isamet	35
Isa Texlight	36
Isa / Isabob	36
Saba	20
Universal	21
Serafilfine	25
Rasant	26
MercifilGD	27
RasantGD	27
Serafil	30
Synton	31
N-tech	41
N-tech CS	41
A-tech CS	42
Silver-tech / Silver-tech*	45

	Page
Serafil	30
Synton	31
Serabraid	32
Strongbond	34
Isacord	35

Detailed information on our automotive product range can be found in the AMANN Automotive brochure.





AUTOMOTIVE

Airbags, trim/interior, steering wheels,
seatbelts, shading systems






HOME INTERIOR

Upholstery, mattresses,
pillows & inner covers, bed linen, curtains,
table linen, bathroom textiles

	Page
Rasant-Oxella	37
Topfil	38
Texturan	38
Serafil	30
Synton	31
Serabraid	32
Onyx	33
Isacord	35
Gore® Tenara®	39
Serabond	40
Saba	20
Universal	21
Sabatex	22
Sabaflex	23
Rasant	26
Isamet	35
Isa Texlight	36
Isa / Isabob	36
N-tech	41
N-tech CS	41
A-tech CS	42

	Page
Serafil	30
Synton	31
Serabraid	32
Onyx	33
Strongbond	34
Meta	28
Isacord	35
Isamet	35
Isa Texlight	36
Isa / Isabob	36
Rasant-Oxella	37





SHOES & ACCESSORIES

Shoes, bags, suitcases,
belts and small leather goods





TECHTEX

Protective clothing, outdoor textiles,
smart textiles, lifting and restraint systems,
composites, filtration, medtech

	Page
Gore® Tenara®	39
Serabond	40
N-tech	41
N-tech CS	41
A-tech CS	42
Nc-tech	43
K-tech	44
Kc-tech	44
Silver-tech / Silver-tech*	45
Serafil	30
Synton	31
Onyx	33
Strongbond	34
Isacord	35

POLYESTER/POLYESTER CORE SPUN

- AMANN's all-rounder
- high-performing, outstanding sewing behaviour
- ideal abrasion resistance and strength properties
- great in tickets and colours
- textile appearance
- for closing and topstitch seams
- for matt embroidery

Ticket no.	Tex no.	Needle size Nm	Needle size No.	Make-up	No. of colours
8	400	210-250	26-27	800 m Co	30
12	260	160-180	23-24	1.100 m Co	75
18	200	140-160	22-23	1.400 m Co	75
30	105	110-130	18-21	10x300 m XW 3.000 m Co	535 on request
35	80	100-120	16-19	5.000 m Co	75
50	60	90-110	14-18	10x500 m XW 2.500 m Co	535 535
80	40	90-100	14-16	10x1.000 m XW 5.000 m Co	535 535
100	30	80-90	12-14	10x1.000 m XW 5.000 m Co	535 535
120	24	70-80	10-12	10x1.000 m XW 5.000 m Co	535 535
150	21	60-70	8-10	10x1.000 m XW 5.000 m Co	535 535

Find our new sustainable Saba Recycled on page 15 and our water-repellent, PFC-free Saba WRe on page 17!

Co =  XW = 

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear
- leatherwear
- denim

Further applications:




POLYESTER STAPLE SPUN

- the economic sewing thread for general sewing needs
- excellent sewing properties
- great in tickets and colours
- textile appearance
- for closing and topstitch seams
- for matt embroidery

Ticket no.	Tex no.	Needle size Nm	Needle size No.	Make-up	No. of colours
10	270	160-200	23-25	1.000 m Co	535
20	150	140-160	22-23	2.000 m Co	535
24	120	130-160	21-23	2.000 m Co	535
25	105	130-160	21-23	2.000 m Co	535
30	80	110-150	18-23	2.500 m Co	535
50	60	100-130	16-21	3.000 m Co	535
60	60	100-130	16-21	3.000 m Co	535
75	40	90-120	14-19	5.000 m Co	535
110	27	65-90	9-14	5.000 m Co	535
120	27	70-90	10-14	5.000 m Co	535
150	21	65-90	9-14	5.000 m Co	535
180	18	60-80	8-12	5.000 m Co	535

Find our new sustainable Universal Recycled on page 16!

Co = 

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear
- leatherwear
- denim

Further applications:



POLYESTER CONTINUOUS FILAMENT, TEXTURISED

- the perfect bulk yarn
- soft, voluminous, skin-friendly
- for all serging and coverstitch seams
- for optimal edge covering

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
100	35	90-110	14-18	5.000 m Co	171
				10.000 m FS	171
120	18	80-90	12-14	10.000 m Co	535
				30.000 m Co	on request
250	11	70-80	10-12	5.000 m Co	171
				10.000 m Co	171
				30.000 m Co	on request

Find our new sustainable Sabatex Recycled on page 16!

Co =  FS/KS = 

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear


Further applications:



PTT (POLYTRIMETHYLENE TEREPHTHALATE) CONTINUOUS FILAMENT

- stretch it. The multi-talent for all elastic materials
- provides a stretch reserve for all seams
- with Sabaflex, all seams become highly elastic
- highest elongation and best sewability
- made with 37% biopolymers from renewable resources

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
30	105	120-140	19-22	900 m FS	160
50	70	110-130	18-21	1.200 m FS	160
80	60	80-100	12-16	2.000 m FS	160
120	27	70-80	10-12	1.500 m FS	160

FS/KS = 

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- workwear

Further applications:





POLYESTER CONTINUOUS MIC-ROFILAMENT, TEXTURISED

- Soft. Softer. Sabasoft
- the soft sewing thread for lingerie, activewear, fitnesswear and bikewear
- combines productivity and softness for the first time
- usable as needle and looper thread
- extraordinary soft microfilament, resistant against yellowing and abrasion

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
120	18	70-80	10-12	5.000 m Co	240
				10.000 m Co	on request
				30.000 m Co	on request

Co =

Main application:



- sportswear & outdoor
- underwear & lingerie

POLYESTER CONTINUOUS FILAMENT

- the ideal sewing and embroidery thread for all fine materials
- delicate, silk-like, adaptive, semi-transparent
- for high-quality overedging not showing through
- for all felling and blindstitching work
- ideal for processing down
- for embroidering monograms and fine details

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
120	24	70-80	10-12	4.000 m FS	100
				15.000 m FS	on request
180	16	60-70	8-10	5.000 m FS	100
				20.000 m FS	on request
300	10	55-65	6-9	5.000 m FS	100
				20.000 m FS	on request
420	7	50-65	5-9	10.000 m FS	100

FS/KS =

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie



Further applications:





POLYESTER/COTTON CORE SPUN

- the traditional core spun thread
- robust in sewing
- approved in many applications
- for closing and topstitch seams
- for matt embroidery

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
35	80	110-130	18-21	3.000 m Co	52
50	60	100-110	16-18	10x1.000 m XW	52
				5.000 m Co	52
75	40	90-100	14-16	10x1.000 m XW	140
				5.000 m Co	140
				10.000 m Co	on request
120	24	70-80	10-12	10x1.000 m XW	300
				5.000 m Co	300
				10.000 m Co	on request

The comprehensive range of Rasant is complemented by the hydrophobic finish "WR". Available on request.

Co =  XW = 

Main application:



- ladieswear, menswear
- sportswear & outdoor
- underwear & lingerie
- denim
- workwear

Further applications:



COTTON SPUN, MERCERISED

- the classic sewing thread for garment dyeing
- made from long-staple mercerised cotton
- optimal dyeing properties
- ideal sewing performance

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
18	105	120-130	19-21	2.500 m Co	1
24	80	110-130	18-21	5.000 m Co	1
30	60	100-120	16-19	5.000 m Co	1
40	40	80-100	12-16	5.000 m Co	1
50	35	70-80	10-12	5.000 m Co	1
60	30	65-70	9-10	5.000 m Co	1

Co =  Explanation of colour no.:
3000 = bleached

Main application:



- garment dyeing


Further application:



POLYESTER/COTTON CORE SPUN

- core spun thread made from 40% polyester and 60% cotton
- optimised dyeing properties due to the high cotton part
- the ideal addition to MercifilGD, recommended to be used in combination
- increased seam strength and seam elongation due to the polyester part compared to 100% cotton threads
- robust in sewing

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
30	105	120-140	19-22	2.500 m Co	3
50	60	100-110	16-18	5.000 m Co	3
75	40	90-100	14-16	5.000 m Co	3
100	30	80-90	12-14	5.000 m Co	3

Co =  Explanation of colour no.:
LT00 = light with raw polyester core, recommended for light dyeing, depending on the type of treatment, it is also possible to use it all-purpose; DK01 = Medium with pre-dyed polyester core, recommended for medium dyeing; DK02 = Dark with pre-dyed polyester core, recommended for dark dyeing.

Please consider:
Only the cotton part is dyed during the dyeing process. The polyester core remains undyed.

Main application:



- garment dyeing


Further application:



POLYESTER/POLYESTER WRAPPED YARN, METALLISED

- effect thread for creative top stitching
- for metallic accents on fashion and leather
- decorative, impressive, effective

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
10	260	180-220	24-26	300 m FS	3
30	105	110-130	18-21	700 m FS	3

FS/KS =  Available colour no.:
0496 = gold, 0511 = silver, 1145 = bronze

Main application:



- ladieswear, menswear
- denim
- leatherwear


Further application:



POLYESTER/POLYAMIDE CONTINUOUS FILAMENT

- melting thread for the supplemental security of blindstitch hems on trousers and skirts
- suitable as additional thread or as looper thread in the overlock seam of the hem, in addition to the blindstitch

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
30	110	-	-	850 m FS	2

FS/KS =  Available colour no.:
2001 = white, 0348 = black-grey

Main application:




- ladieswear, menswear

POLYESTER CONTINUOUS FILAMENT

- the outstanding product for shoes and accessories
- for closing and decorative seams
- subtle sheen
- special finishing process
- high seam strength
- best sewing performance with perfect stitch formation
- suitable for coarse decorative embroidery

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
8	350	200-260	25-28	850 m FS	on request
10	270	180-220	24-26	300 m FS 1.000 m FS	148 148
15	210	150-180	23-24	450 m FS	148
20	135	120-140	19-22	600 m FS 2.500 m FS	240 240
30	90	100-130	16-21	900 m FS 4.000 m FS	240 240
40	70	90-120	14-19	1.200 m FS 5.000 m FS	240 240
60	45	80-110	12-18	1.800 m FS 5.000 m FS	240 on request
80	30	70-110	10-18	2.400 m FS 10.000 m FS	240 on request

Find our new water-repellent, PFC-free Serafil WRe on page 18!

FS/KS = 

Main application:



- shoes
- bags
- suitcases
- belts and small leather goods

Further applications:




POLYESTER CONTINUOUS FILAMENT

- the reliable sewing thread for luggage, home interior, shoes and accessories
- for closing and decorative seams
- soft sheen
- high seam strength
- high performing during the sewing process

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
10	270	160-220	23-26	1.000 m FS	35
15	210	130-160	21-23	1.500 m FS	23
20	135	120-140	19-22	600 m FS 2.500 m FS	on request 82
30	90	110-130	18-21	900 m FS 4.000 m FS	on request 82
40	70	90-120	14-19	1.200 m FS 5.000 m FS	on request 82
60	45	80-100	12-16	1.800 m FS 5.000 m FS	on request 82
80	30	70-90	10-14	2.400 m FS 10.000 m FS	82 on request

Eco-friendly and water-repellent: the Synton range is complemented by WRe, AMANN's new water-repellent, PFC-free finish. Available on request.

FS/KS = 

Main application:



- shoes
- bags
- suitcases
- belts and small leather goods

Further applications:



POLYESTER CONTINUOUS FILAMENT, BRAIDED

- the braided thread for individual decorative effects
- for closing and topstitch seams
- decorative, impressive, effective
- waxed version available for hand sewing

Ticket no.	Tex no.	Make-up	No. of colours
1400 T90	1200	300 m XW	30
1400 T60	1030	300 m SSP	30
1200 T90	890	500 m XW	48
1200 T60	750	500 m SSP	48
1000 T90	600	500 m XW	48
1000 T60	500	500 m SSP	48
800 T90	450	700 m XW	30
800 T60	380	700 m SSP	30

The comprehensive range of Serabraid is complemented by the hydrophobic finish "WR". Available on request.

XW =  SSP =  T60 = standard
T90 = waxed for hand sewing

Main application:



- shoes
- bags
- suitcases

Further applications:




POLYAMIDE 6.6 CONTINUOUS FILAMENT

- the ultra-strong sewing thread for stressed seams
- for closing and topstitch seams
- robust, abrasion resistant, durable
- excellent strength properties

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
10	270	200-230	25-26	1.500 m FS	29
13	210	180-200	24-25	1.500 m FS	29
20	135	140-160	22-23	2.000 m FS	71
30	105	130-150	21-23	2.500 m FS	86
40	70	110-130	18-21	2.000 m FS 4.000 m FS	86
60	45	90-110	14-18	6.000 m FS	71
80	35	80-100	12-16	8.000 m FS	29

Find our new water-repellent, PFC-free Onyx WRe on page 19!

FS/KS = 

Main application:



- shoes
- bags
- suitcases
- belts and small leather goods


Further applications:



POLYAMIDE 6.6 CONTINUOUS FILAMENT, BONDED

- the robust bonded sewing thread
- for seams with maximum durability
- best sewing performance, also for multidirectional sewing

Ticket no.	Tex no.	Needle size Nm	Needle size No.	Make-up	No. of colours
10	270	200-250	25-27	1.500 m FS	12
13	210	180-200	24-25	2.000 m FS	2
20	135	140-160	22-23	1.500 m FS	76
30	90	120-140	19-22	2.500 m FS	11
40	70	110-130	18-21	3.500 m FS	95
60	45	90-110	14-18	5.000 m FS	75
80	35	80-100	12-16	9.000 m FS	2

FS/KS = 

Main application:



- shoes
- bags
- suitcases
- belts and small leather goods


Further applications:



POLYESTER CONTINUOUS FILAMENT, TRILOBAL

- universal machine embroidery thread for all brilliant and fashionable embroidery
- great in colour, great in function
- abrasion-resistant, robust, perfect embroidery properties
- excellent colour fastness
- classic on work & corporate wear
- extremely durable – also for jeans and automotive

Ticket no.	Tex no.	Needle size Nm	Needle size No.	Make-up	No. of colours
40	27	65-90	9-14	10x1.000 m KS 5.000 m KS	390 391

FS/KS = 

Main application:



- brilliant & fashionable




Further applications:



POLYESTER/POLYAMIDE WRAPPED YARN

- the metallic embroidery thread
- classic thread in uniform and emblem embroidery
- brilliant accent for elegant clothes
- available in gold, silver and many other metallic colours

Ticket no.	Tex no.	Needle size Nm	Needle size No.	Make-up	No. of colours
40	27	75-90	11-14	10x1.000 m FS 5.000 m FS	42 7
50	15	70-90	10-14	10x1.000 m FS	3


FS/KS = 

Main application:



- metallic


Further applications:



PBT (POLYBUTYLENE TEREPHTHALATE)/PP (POLYPROPYLENE),
CONTINUOUS FILAMENT

- the phosphorescent embroidery thread
- glows in the dark
- for special effects, for example on children's nightwear or clothes that are worn in bars or clubs

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
40	30	70-80	10-12	10x800 m KS	1

FS/KS = 

Main application:

- glow-in-the-dark




Further applications:



POLYESTER/COTTON
CORE SPUN, GLACÉ

- the sewing thread with special finish for heavy-duty applications
- for closing and decorative seams
- fine matt sheen
- extremely durable in the seam

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
8	350	200-260	25-28	1.500 m FS	20
11	260	160-180	23-24	1.100 m FS	20
15	200	140-160	22-23	1.400 m FS	20
20	135	130-160	21-23	2.000 m FS	20
25	120	130-160	21-23	2.750 m FS	36
30*	105	120-140	19-22	2.500 m FS	37
35	80	110-130	18-21	4.000 m FS	60

FS/KS = 

*Polyamide/cotton core spun, glacé

Main application:

- upholstery



Further applications:



POLYESTER BOBBIN THREADS
FOR EMBROIDERY


- bobbin thread range for machine embroidery
- Isa combines excellent thread running properties, high strength and large bobbin volumes
- Isabob provides outstanding unwinding properties, long running lengths and all benefits of prewound bobbin threads

Isa

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
150	18	-	-	10.000 m Co	2
180	16	-	-	20.000 m Co	2

Isabob

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
190	17	-	-	144 bobbins	2

Co = 

Main application:

- bobbin thread




Further applications:



POLYESTER CONTINUOUS FILAMENT

- functional sewing thread for mattress quilting
- optimal sewing properties

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
60	45	100-130	16-21	500 g FS	1
				1.000 g FS	1
80	30	90-120	14-19	500 g FS	1
				1.000 g FS	1

FS/KS = 

Main application:



- mattresses
- pillows and quilts




TEXTURAN

POLYESTER CONTINUOUS FILAMENT, TEXTURISED

- developed to be used in combination with Topfil
- the functional underthread for mattress production

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
100	35	90-110	14-18	10.000 m FS	1
				20.000 m FS	1
120	18	80-90	12-14	20.000 m FS	1

FS/KS = 

Main application:




- mattresses
- pillows and quilts



ePTFE (EXPANDED POLYTETRAFLUORETHYLENE) TAPE

- special sewing thread with excellent UV and weather protection with 15 years warranty!
- designed for high speed sewing
- also available in transparent colour
- will not fade, stain or discolour
- resistant to UV radiation in sunlight, mould, mildew, acid rain, cleaning solutions, salt water and industrial pollutants

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
HTR	270	110-140	18-22	1.050 m FS	11
TR	150	100-120	16-19	1.750 m FS	11
LTR	110	90-110	14-18	2.100 m FS	1

FS/KS = 

Main application:



- outdoor textiles


Further application:



POLYESTER CONTINUOUS FILAMENT, BONDED

- high-performance bonded special sewing thread for outdoor applications
- extremely durable
- resistant to untwisting and therefore suited for multidirectional sewing
- outstanding UV resistance due to special dyestuffs
- weathering test according to ISO 4892-1 and ISO 4892-2

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
6	500	240-260	27-28	1.700 m FS	1
9	350	210-240	26-27	1.700 m FS	12
10	270	190-220	25-26	1.400 m FS	2
12	240	180-200	24-25	1.800 m FS	12
15	210	170-190	24-25	2.400 m FS	12
18	150	150-170	23-24	2.600 m FS	12
20	135	130-150	21-23	1.600 m FS 3.200 m FS	34 on request
25	105	120-140	19-22	3.000 m FS	12
30	90	110-130	18-21	2.300 m FS	34
40	70	90-120	14-19	4.600 m FS	16
60	45	80-100	12-16	5.000 m FS	16

FS/KS = 

Main application:



Further applications:



NOMEX® DUPONT™ META-ARAMIDE, SCHAPPE SPUN (N-TECH)

NOMEX® DUPONT™ META-ARAMIDE, CUT STAPLE SPUN (N-TECH CS)

- high-performance meta-aramide special sewing and embroidery thread
- for flame-retardant and heat-protective applications
- self-extinguishing and non-melting
- permanent temperature resistance up to approx. 200°C
- decomposition temperature at approx. 370°C
- burning behaviour tested according to DIN EN ISO 15025

N-tech


Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
40	75	100-120	16-19	3.000 m Co	14
70	40	80-100	12-16	10x1.000 m XW 5.000 m Co	21

N-tech CS

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
70	40	80-100	12-16	10x1.000 m XW 5.000 m Co	21
120	25	70-90	10-14	5.000 m Co	21

Co =  XW = 

Main application:




Further applications:



NEWSTAR® YANTAI META-ARAMIDE, CUT STAPLE SPUN

- meta-aramide special sewing & embroidery thread for flame-retardant and heat-protective applications
- self-extinguishing and non-melting
- the powerful alternative to Nomex®
- permanent temperature resistance up to approx. 200°C
- decomposition temperature at approx. 370°C
- burning behaviour tested according to DIN EN ISO 15025

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
40	75	100-120	16-19	3.000 m Co	14
70	40	80-100	12-16	5.000 m Co	14

Co = 

Main application:



- protective clothing
- filtration


Further applications:



NOMEX® DUPONT™ META-ARAMIDE CONTINUOUS FILAMENT

- meta-aramide special sewing thread for highest requirements in flame-retardant and heat-protective applications
- self-extinguishing, non-melting, robust and extremely durable
- permanent temperature resistance up to approx. 200°C
- decomposition temperature at approx. 370°C
- burning behaviour tested according to DIN EN ISO 15025

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
20	140	120-140	19-22	1.000 m FS	7
34	95	120-130	19-21	1.500 m FS	7
40	70	110-130	18-21	2.000 m FS	7
60	45	100-120	16-19	3.000 m FS	7

FS/KS = 

Main application:



- protective clothing




K-tech

KEVLAR® DUPONT™ PARA-ARAMIDE, SCHAPPE SPUN

- para-aramide special sewing thread for applications with high requirements on cut, flame and heat protection
- permanent temperature resistance up to approx. 170°C
- decomposition temperature at approx. 425°C
- burning behaviour tested according to DIN EN ISO 15025

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
35	80	120-140	19-22	3.000 m Co	1
50	60	110-130	18-21	3.000 m Co	1
75	40	100-120	16-19	5.000 m Co	1

Co = 

Main application:




- protective clothing

Kc-tech

KEVLAR® DUPONT™ PARA-ARAMIDE CONTINUOUS FILAMENT, BONDED

- extremely high-performing para-aramide special sewing thread for technical textiles requiring cut and heat protection
- self-extinguishing and non-melting
- permanent temperature resistance up to approx. 170°C
- decomposition temperature at approx. 425°C
- burning behaviour tested according to DIN EN ISO 15025

Ticket no.	Tex no.	Needle size		Make-up	No. of colours
		Nm	No.		
22	135	130-150	21-23	ca. 500 g/ 3.000 m FS	1

FS/KS = 

Main application:



- protective clothing
- filtration
- composites

Silver-tech
Silver-tech⁺

SILVER COATED POLYAMIDE/ POLYESTER HYBRID THREAD (SILVER-TECH)


- special sewing and embroidery thread with a silver coating
- for conductive seams and surfaces
- textile electrodes as sensors and actuators
- for seam positions that require antimicrobial characteristics
- no cell damaging effect in the Cytotoxicity Test according to DIN EN ISO 10993-5

Ticket no.	Tex no.	Needle size		Make-up	Electric resistance
		Nm	No.		
30	96	120-130	19-21	500 m FS	< 85 Ω/m
50	62	90-100	14-16	1.500 m FS	< 150 Ω/m
120	28	75-90	11-14	2.500 m FS	< 530 Ω/m

SILVER COATED POLYAMIDE CONTINUOUS FILAMENT (SILVER-TECH⁺)

- special sewing and embroidery thread with a silver coating
- for conductive seams and surfaces
- maximum conductivity
- fully conductive surface
- textile electrodes as sensors and actuators
- for seam positions that require antimicrobial characteristics

Ticket no.	Tex no.	Needle size		Make-up	Electric resistance
		Nm	No.		
100	33	75-90	11-14	2.000 m KS	< 200 Ω/m
150	22	70-75	10-11	2.500 m KS	< 300 Ω/m

FS/KS = 

Main application:



- smart textiles
- medtech

Further applications:





COLOUR &
FINISH

SPECIAL COLOURS

MULTICOLOURS

Multicolours create special colour accents. The following sewing and embroidery threads by AMANN are offered in multicolours: Saba, Serafil, Strongbond, Isacord.

NEON COLOURS

Whether they are used as a signal colour for hazardous situations or simply as an eye-catcher – neon colours attract attention and are an indispensable part of the fashion world. The following AMANN products are offered in neon colours: Saba, Sabasoft, Sabatex, Sabaflex, Serafil, Strongbond, Strongfil, Isacord, N-tech, N-tech CS.

SPECIAL FINISHINGS

WATER-REPELLENT

A water-repellent finish is a prerequisite for dry seams. All AMANN sewing threads with water-repellent finish are certified according to STANDARD 100 by OEKO-TEX® and do not contain any PFOA. The water-repellent finish is applicable to all AMANN sewing threads. AMANN's water-repellent finish is washable and does not affect the sewability in any negative way. AMANN's Road to Zero: The new WRe finish is even more eco-friendly, since it is completely free of PFC. Certainly, the new WRe finish is also washable and can be sewn easily.

The new WRe finish is available for the following AMANN products: Saba, Onyx, Serafil.

WAXED (T90)

Due to its special wax content, AMANN's T90 finish is especially suitable for handsewing, since the finish stabilises the stitch during stitch formation. T90 finish is available for the following products: Serabraid, Serafil.

FOR COMPOSITES (COMPHIL)

The Comphil finish, specially developed by AMANN for composites, offers optimised sewing performance without adhesion-inhibiting properties towards the composite matrix and is thus optimally synchronised with the further processes (for example resin infusion) and end use applications. On both sewing and embroidery threads, the Comphil finish is used for preform production processes (for example TFP embroidery method). As a standard, the Comphil finish is available for following products: Serafil, Serafil fine, Onyx. On request, also further products from the AMANN range can be equipped with the Comphil finish.

BONDED

This special treatment helps to avoid untwisting of smooth filament threads that are used for multidirectional sewing operations, for example on airbags or zig-zag seams on sails. AMANN offers the following bonded sewing threads: Oxcel, Serabond, Strongbond, Kc-tech, Xtreme-tech.

Amann & Söhne GmbH & Co. KG
Hauptstraße 1 | D-74357 Bönningheim
Phone: +49 7143 277-0
E-mail: service@amann.com
www.amann.com

000000
EN00001220



AMANN Wechat QR code:



AMANN Trading (Shanghai) Co.,Ltd
RM 1702-1703 Hailiang Building | No. 22 Lane 118 Rd. Zhongjiang
Putuo District 200062 | Shanghai | China
Phone +86 21 58316126/27/29

AMANN Asia Limited
Unit 3 – 5, 9/F | Millennium Trade Centre
56 Kwai Cheong Road | Kwai Chung | New Territories | Hong Kong
Phone +852 2178 7213

Company headquarters
Amann & Söhne GmbH & Co. KG | Bönningheim | Germany
E-Mail: info.sh@amann.com | www.amann.com
www.amannasia.com | www.amann.cn

Our management systems are certified according to:

